95-325541/42

KITASATO KENKYUSHO SH

KITA 94.02.15 *JP 07224067-A

94.02.15 94JP-018612 (95.08.22) CO7D 498/22 // A61K 31/52, 31/55 (CO7D 209:00, 309:14, 498/22, 273:06) (CO7D 209:00, 273:06, 498/22, 309:28) (CO7D 209:00, 307:24, 498/22) (CO7D 209:00, 309:10, 498/22,

7-Alkoxy- or hydroxy-staurosporine deriv. prepn. in high yield from corresp. 7-unsubstituted cpd., alcohol and quinone oxidant, used as protein kinase C inhibitor

C95-144522

ASAHI KASEI KOGYO KK (ASAH) Addnl. Data:

Prepn. of a 7-alkoxy-staurosporine deriv. (I) contg. a substd. tetrahydropyran or tetrahydrofuran ring comprises reacting the corresp. 7-unsubstituted staurosporine (II) with a lower alcohol in the presence of a quinone oxidant in an inert solvent.

The obtd. (I) is opt. hydrolysed in presence of acid catalyst to give the corresp. 7-hydroxy-staurosporine deriv. (I') contg. a substd.

tetrahydropyran or tetrahydrofuran ring.

(I) and (I') have various biological activities based on protein kinase C inhibition.

B(6-E5, 14-D6) .2

ADVANTAGE

The method gives a high yield without using heavy metal oxidants (such as lead tetraacetate), and is industrially applicable.

2,3-Dichloro-5,6-dicyano-p-benzoquinone (DDQ), chloranil or ochloranil is pref. used as oxidant.

REACTION CONDITIONS

(I) is obtd. by treating (II) with 1-1.2 molar excess of the oxidant and 10-20 molar excess of 1-4C alcohol (e.g. MeOH) at 10-30°C for 2-

(I') is obtd. from (I) by acid hydrolysis in a mixt of water and a water-miscible organic solvent (pref. dimethylformamide, N,N-dimethylacetamide or 1,3-dimethyl-2- imidazolinone), in the presence of strong inorganic or sulphonic acid at 40-70°C for 2-10 hrs.

JP 07224067-A+

PROCESS

Reaction is typically as follows:

OH (I'A) etc.

rings A and B are opt. substd.; $R^1 = H$ or lower alkyl;

Z = opt. substd. methylene or ethylene, e.g. -C(OH)(COOMe)- or -CH(OMe)-CH(NHMe)-;

R = 1-4C alkyl.

EXAMPLE

A soln. of 944 mg of 4'-N-(2,2,2-trichloroethoxy carbonyl) staurosporine in 10 ml dichloromethane was treated with 1 ml MeOH and 410 mg of DDO at room temp. for 5 hours. The prod. was taken JP 07224067-A+/1

325541/42-در

up in EtOAc. The organic layer was washed with satd. aq. NaHCO₃, dried and evaporated to give a 7-methoxy deriv. in 96% yield.

A soln. of 14.7g of the prod. in a mixt. of 495 ml of DMF and 49.5 ml of 1N HCl was heated at 60-65°C for 3.5 hrs., then treated with 300 ml of 3% aq. ammonia. The pptd. crystals were filtered off vacuum-dried and subjected to silica gel column chromatography using CHCl₃ - MeOH - 25% ammonia (99:1:0.1) as eluent to give the 7-hydroxy deriv. in 85% yield. (RMH) (8pp120DwgNo.0/0)

JP 07224067-A/2